



**TRADITIONAL TUG
"TITO NERI NONO"**



MAIN CHARACTERISTICS

LOA	31,27 meters
Breadth	8,52 meters
Breadth over all	8,52 meters
Max. Draught (extreme)	3,7 meters
GRT-Net T	197,80-41,54

REGISTRATION

Type of Vessel	Tug, International Coastal
Year built	1988
Builder	C.N. Cooperativa Metallurgica G. Tommasi- Ancona (Italy)
CALL Sign/Rina Nr	IXVV / 67716
Classification	RINA 100A 1.1 , Tug , International Coastal

Fratelli Neri S.p.A.

Via Pisa n. 10- 57123 Livorno- ITALY
Ph. +39 0586 234111- Fax +39 0586 892025
www.nerigroup.net – e mail: info@nerigroup.net



PERFORMANCE

Speed	12,00 knots
Direct Bollard Pull	29,80 tons = 292,00 kN

PROPULSION –MACHINERY

Main Engines	1 x WARTSILA A.B. type F38A with a power of 1520 Kw at 825 rpm
Gen Sets	2 x IVECO AIFO type 8361M x 75 kVA 50 Hz/380 V
Harbour Gen Sets	1 x D.I.E.M type L634D-M x 31,2 kVA 50 Hz/380 V
Propellers	1 fixed pitch propeller

ACCOMODATION

Accomodation	2 cabins for 1 officer plus spares, 2 cabin for 2 crews, total 6 persons, plus 4 spares, mess galley, stores, WC's and showers
Airconditioning	Fully airconditioned, temperatures as per ISO standards,

TOWING and SPECIAL EQUIPMENT

Hook	SEEBECK towing hook HHRO30 hydr. operated
------	---

TANK CAPACITIES

Fuel Oil	108,32 mc
Fresh Water	67,26 mc
Foam	8,74 mc
Lub Oil MMEE	6,3 mc
Lub Oil Hydr. system	
Sewage /sludge	
Ballast	33,7 mc

ELECTRONICS

Communication	SKANTI trp 6000, FURUNO FM 2510
Navigation equipment	1 radar, 1 GPS, Magnetic Compass, Echo Sounder,

LIFE SAVING EQUIPMENT


Life saving equipment	1 rigid rescue boat , 2 x Liferaft for 20 persons, 10 life jackets, 2 life buoys
Solas Boat & Crane ILO	Approved boat and crane.

FIRE FIGHTING SYSTEM Class FI FI 1

Nr 2 x monitors of 200 cbm/hr capacity each one

Fratelli Neri S.p.A.

Via Pisa n. 10- 57123 Livorno- ITALY
Ph. +39 0586 234111- Fax +39 0586 892025
www.nerigroup.net – e mail: info@nerigroup.net



Fratelli Neri S.p.A.

Via Pisa n. 10- 57123 Livorno- ITALY

Ph. +39 0586 234111- Fax +39 0586 892025

www.nerigroup.net – e mail: info@nerigroup.net